


The **REVOLUTIONARY** construction site fence!



VISIT OUR SITE roll-one.it

MADE IN ITALY

CLASSIC FENCE





Example: A fence 2 m high and 105 m long is equivalent to:

30 Pieces Fence Weight Tot. 510 kg (2.4 kg/m2) Volume 14 m³ 7 Fences (1 fence = 15 m)
Weight Tot. 84 kg (0,4 kg/m2)
Volume 0,7 m³

Light and strong construction site fence, always ready when you need it!

AN INVESTMENT MORE THAN AN EXPENSE.



Why Roll-one?

CONVENIENT

Saving time and diesel **fuel**. Time saving in assembly and **manpower**.

SPACE-SAVING

It takes up **little space** in storage and transport.

LIGHT and EASY

It can be **handled by a single employee**. It can be unrolled and rolled in a short time.


INNOVATIVE

It makes the image of the construction site **tidy** and **efficient**.

Roll-one is the ideal choice for those looking for a reliable and convenient **fence** for their construction sites.

This construction net has all the necessary features to become your favorite work companion: it is light, easy to handle and takes up little space in storage and when you transport. Thanks to its innovative structure, Roll-One is also very easy to transport.

Thanks to its innovative structure, **Roll-One** is also very easy to transport.



INFINITELY CONNECTABLE MODULES



RESISTANT

Accidental **impacts** and **atmospheric agents** don't have the slightest impact. **Windproof**.

SAFE

It doesn't break, it doesn't fade, it's never a source of danger.
Can be crossed in case of emergency.

FLEXIBLE

It bends but **doesn't break** and it come back in the initial vertical position.


INDESTRUCTIBLE

Long-lasting unalterable materials and accessories over time.

You can take it **wherever** you want, without worrying about have to deal with long and tiring moving.

Roll-one will help you to save a lot of precious time and energy, thanks to its **practicality** and **speed** with which it can be assembled and disassembled.





AVAILABLE IN HEIGHT 110 cm and 200 cm

MODELS	Length
ROLL 110	15 m
ROLL 200	15 m



Find out how it works on: roll-one.it



Informations:

(035 19 77 32 34

info@roll-one.it

Patented and marketed by ICOV COSTRUZIONI SRL
Via Del Carroccio 173, Stezzano (BG)